

Psychometric properties of startle and corrugator response in NPU and affective picture viewing tasks

Jesse T. Kaye, Daniel E. Bradford, John J. Curtin
University of Wisconsin – Madison





Construct	Genes	Molecules	Cells	Circuits	Physiology	Behavior	Self-Report
-----------	-------	-----------	-------	----------	-------------------	----------	-------------



Negative Valence System

Construct	Genes	Molecules	Cells	Circuits	Physiology	Behavior	Self-Report
Acute Threat ("Fear")					X		
Potential Threat ("Anxiety")					X		

Tasks

- No Shock, Predictable Shock, Unpredictable Shock (NPU)
- Affective Picture Viewing



Negative Valence System

Construct	Genes	Molecules	Cells	Circuits	Physiology	Behavior	Self-Report
Acute Threat ("Fear")					X		
Potential Threat ("Anxiety")					X		


Tasks

- No Shock, Predictable Shock, Unpredictable Shock (NPU)
- Affective Picture Viewing


Measures

- Startle
- Corrugator


Corrugator Response





Startle Response



Corrugator Response




Startle Response




NPU Task



Predictable Shock Block



Unpredictable Shock Block



Blocks of colored square “cues” (5s each) with a variable ITI

Cues occur in three different within-subject conditions

- **Predictable Shock:** Shocks during cues only
- **Unpredictable Shock:** Shocks at any time
- **No Shock:** No shocks at any time

Startle/corrugator modulation calculated separately for predictable and unpredictable vs. no-shock

Affective Picture Viewing Task



International Affective Picture System (IAPS) valence conditions:

- Unpleasant
- Pleasant
- Neutral

Pictures (6s) intermixed & counterbalanced by valence within-subjects

Startle/corrugator modulation calculated separately for pleasant and unpleasant vs. neutral

N: 128

Study visits: 2

Separation: 1 week

Quantification: Raw microvolts (time domain)

Effect size and stability

Effect size and stability

Internal consistency (split-half reliability)

Effect size and stability

Internal consistency (split-half reliability)

Temporal stability (test-retest reliability)



Startle Modulation

NPU Task

Visit 1


Predictable

Unpredictable

Visit 2

Predictable

Unpredictable





Startle Modulation

NPU Task

Visit 1


Predictable

Unpredictable

Visit 2

Predictable

Unpredictable





Startle Modulation

NPU Task

IAPS Task

Visit 1

Predictable

Unpredictable

Visit 2

Predictable

Unpredictable

Visit 1

Unpleasant

Pleasant

Visit 2

Unpleasant

Pleasant

Small

Medium

Large

μV

36.1 *

26.5 *

36.9 *


22.9 *

6.3 *

-4.2 *


8.1 *

-1.6





Startle Modulation






Startle Modulation

NPU Task

Internal Consistency

Predictable

Unpredictable





Startle Modulation

NPU Task

Internal Consistency

Predictable

Unpredictable

Temporal Stability


Predictable

Unpredictable

Poor


Adequate

Good






Startle Modulation






Startle Modulation





Startle Modulation





Corrugator Modulation

NPU Task

Visit 1

Predictable

Unpredictable

Visit 2


Predictable

Unpredictable

Small

Medium

Large





Corrugator Modulation

NPU Task

Visit 1

Predictable

Unpredictable

Visit 2

Predictable


Unpredictable

Small

Medium

Large

μV





Corrugator Modulation

NPU Task

IAPS Task

Visit 1

Predictable

Unpredictable

Visit 2

Predictable

Unpredictable

Visit 1

Unpleasant

Pleasant

Visit 2

Unpleasant


Pleasant

Small

Medium

Large


μV



Cohen's d




Corrugator Modulation





Corrugator Modulation

NPU Task






Corrugator Modulation

NPU Task

IAPS Task






Corrugator Modulation

NPU Task

IAPS Task



Psychometric Summary

Startle Modulation

Corrugator Modulation

NPU Task

Predictable



Unpredictable



IAPS Task

Unpleasant

Pleasant

Psychometric Summary

Startle Modulation

Corrugator Modulation

NPU Task

Predictable



Unpredictable



IAPS Task

Unpleasant

Pleasant



Psychometric Summary

Startle Modulation

Corrugator Modulation

NPU Task

Predictable



Unpredictable



IAPS Task

Unpleasant



Pleasant






Psychophysiology tasks can contribute to RD0C, if...

- More large studies on reliability
- Cross-lab collaborations
- Empirical recommendations for method & quantification


Kaye JT, Bradford DE & Curtin JJ (2016). Psychometric properties of startle and corrugator response in NPU, Affective Picture Viewing, and Resting State tasks. *Psychophysiology*, 53(8), 1241-1255.

<https://osf.io/fdjg9/>



Kaye JT, Bradford DE & Curtin JJ (2016). Psychometric properties of startle and corrugator response in NPU, Affective Picture Viewing, and Resting State tasks. *Psychophysiology*, 53(8), 1241-1255.

<https://osf.io/fdjg9/>



National Institute
on Alcohol Abuse
and Alcoholism

NIH...Turning Discovery Into Health®

F31 AA022845
R01 AA024388



DGE 0718123

Research Team

John Curtin, Daniel Bradford, Charles Rohrer, Austin Kayser, Susan Schneck, Rachel Hamilton, Rachel Korhumel

Bradford DE, Kaye JT & Curtin JJ. The relationships among multiple psychophysiological and self-report measures of negative affect indexed across multiple tasks within the same sample. Poster #4-46

Kaye JT, Bradford DE & Curtin JJ (2016). Psychometric properties of startle and corrugator response in NPU, Affective Picture Viewing, and Resting State tasks. *Psychophysiology*, 53(8), 1241-1255.

<https://osf.io/fdjg9/>




ADDITIONAL SLIDES

Effect Size

X-Axis Microvolts




Startle Modulation Effect Size Magnitude & Stability





Corrugator Modulation Effect Size Magnitude & Stability




Effect Size

Cohen's D_z (within-sub)



Startle Modulation



**Internal Consistency
Temporal Stability**

Startle: Raw vs. T-scores

Corrugator: Time vs. Frequency



Startle Modulation

NPU Task

Internal Consistency

Predictable

Unpredictable

Temporal Stability

Predictable

Unpredictable

IAPS Task

Internal Consistency


Unpleasant

Pleasant

Temporal Stability

Unpleasant


Pleasant






Corrugator Modulation

NPU Task



IAPS Task




CONDITION SCORES

STARTLE



Startle Response




CONDITION SCORES

CORRUGATOR




Corrugator Response





Corrugator Response




General Startle Reactivity



Startle Response

Resting Task

- Internal Consistency
 - General Startle Reactivity
- Temporal Stability
 - General Startle Reactivity



Inter-task & Inter-measure

Inter-task & Inter-measure relationships

		NPU				IAPS		
		Startle		Corrugator		Startle	Corrugator	
		U	P	U	P	U	U	
NPU	Startle	U	x	.75**	.05	.26**	.18	.04
		P		x	.00	.20*	.20*	.04
	Corrugator	U			x	.62**	-.15	.23*
		P				x	-.14	.10
IAPS	Startle	U					x	-.02

U = Unpredictable/Unpleasant

P = Predictable

*p<.05, **p<.01



p < .05
Holm Adjusted

Poster 4-46 Saturday: Bradford, Kaye, & Curtin